



Accommodation sheet

General information

Accommodation name	Hotel Corona d'Italia
Typology	Hotel
Address	Via Nazionale 14
City	Florence (FI)
Contacts	Tel. +39 055 261501 info@hotelcoronaditalia.com
Website	http://www.hotelcoronaditalia.com/it/
WCAG 2.1 compliant accessible website	NO
Online bookings	YES
Short description	The Hotel Corona d'Italia is housed in a nineteenth-century building of three floors, with simple and harmonious lines, with spacious and bright interiors, finished with Carrara marble and elegant stucco frames.

TESTED AND REVIEWED BY: [Handy Superabile Social Promotion Association](#) in 2024

Please note The following information refers to the date of verification shown at the bottom of each sheet. The Association is not responsible for any significant changes made by the property after the visit.





Summary

Accommodation sheet	1
General information	1
Arrival at the property.....	3
How to reach the property.....	3
Pathway from the private/public car park to the entrance	4
Entrance to the structure.....	4
Hall - Reception	5
Rooms/apartments	7
Rooms/apartments adapted for guests with reduced mobility.....	7
Toilet facilities in the guest room for guests with reduced mobility.....	9
Communal toilets	13
Medical practices/healthcare facilities.....	14





Arrival at the property


How to reach the property

By car	<p>From Rome, along the A1 motorway, exit at the 'Firenze Sud' tollbooth; follow the signs for the center, take the Lungarno and after 2 km turn right into Via Giovanni Amendola, going up to Piazza Beccaria; advance along Viale Antonio Gramsci and Viale Giacomo Matteotti to Piazza della Libertà. Take Via Lorenzo il Magnifico, turn left at the first traffic light and, after another traffic light, cross Viale Spartaco Lavagnini entering Via Santa Caterina d'Alessandria. Continue to Via Nazionale, the Hotel Corona d'Italia is on your left, at number 14.</p> <p>From Milan, along the A1 motorway, exit at Firenze Nord and follow the signs for the centre. At the end of Viale Francesco Redi, turn left into Via Guido Monaco, follow it all the way, and turn left into Via Fratelli Rosselli; after the railway underpass, follow the Viali di Circonvallazione - leaving the Fortezza da Basso on the left - and take Viale Spartaco Lavagnini. At the first traffic light, turn right into Via Santa Caterina d'Alessandria, continue into Via Nazionale, where the Hotel Corona d'Italia awaits you at number 14.</p>
By train	
Nearest station	Florence – Santa Maria Novella station 500 m away
Assistance service for people with disabilities	YES





Pathway from the private/public car park to the entrance


Presence of private parking	NO, a reserved area is available to its customers upon the arrival of its guests with loading and unloading of luggage
Public parking nearby	YES, it has an agreement with several garages that carry out a valet parking service
Describe the route from the car park to the entrance and any critical issues	Through a short stretch of connected sidewalk whose access is at the intersection with the adjacent Via Ariento, to the left of the entrance.
	

Entrance to the structure

There is an accessible entrance	YES main entrance
How to access the structure	<input checked="" type="checkbox"/> flat
Type of entrance door	Flowing





Useful width of door/entrance gate	Above 90 cm
There are indicators and tactile maps	NO
	

Hall - Reception

How to reach it from the entrance	flat
Reception desk height	117 cm
Presence of multilingual staff	YES
Type of information material	<input type="checkbox"/> YES with maps/tactile signals <input checked="" type="checkbox"/> YES with brochure
Initial assistance is provided for visitors with disabilities	<input type="checkbox"/> YES with orientation tour of the structure <input checked="" type="checkbox"/> YES with room accompaniment <input checked="" type="checkbox"/> YES with porter service
The following aids are provided for visitors with disabilities	<input type="checkbox"/> manual wheelchair <input type="checkbox"/> Crutches <input type="checkbox"/> Comfortable shower chair
The staff followed a training course on welcoming people with different disabilities	NO


Project carried out with the contribution of the



Project promoted by



Regione Toscana



Project carried out with the contribution of the



**Presidenza del
Consiglio dei Ministri**
Ministro per la disabilità





Rooms/apartments

Rooms/apartments adapted for guests with reduced mobility

<p>Number and type of rooms/apartments equipped/usable by people with reduced mobility</p>	<p><input checked="" type="checkbox"/> Rooms No. 4</p> <p><input type="checkbox"/> Double rooms Triple rooms Choose an item. <input type="checkbox"/> Choose an item.</p> <p><input type="checkbox"/> Mono Apartments Choose an item.</p> <p><input type="checkbox"/> Apartments BILO Choose an item.</p> <p><input type="checkbox"/> three-room apartments Choose an item.</p>
<p>Room access</p>	<p><input type="checkbox"/> flat</p> <p><input type="checkbox"/> via cm high sidewalks Choose an item.</p> <p><input type="checkbox"/> via ramp Choose an item.</p> <p><input checked="" type="checkbox"/> by elevator door width 80 cm, cabin width 91 cm, cabin depth 80 cm, call button height 114 cm, highest keypad button height 140 cm, embossed/braille keys, sound signal and internal handle</p> <p><input type="checkbox"/> via stairlift</p>





	
Type of entrance door	with lever handle
Usable width of entrance door	80 cm
Bed type and height	single bed 58 cm high and double bed 58 cm high
Free spaces on the sides of the bed	left 50 cm right 75 cm frontal Above 90 cm
Cabinet Type	with doors
Free space under the desk	66 cm
In-room options are available	<input checked="" type="checkbox"/> safe <input checked="" type="checkbox"/> minibar <input type="checkbox"/> Water Kettle <input type="checkbox"/> Iron





Toilet facilities in the guest room for guests with reduced mobility

Access to the premises	flat
Usable width of the entrance door	80 cm
Type of door	with inwardly opening door
Toilet height	45 cm
Toilet seat with open front tooth	NO
Support handles	to the left of the toilet
Flexible shower on the side of the toilet	NO
Free space on the sides of the toilet	left Above 100 cm right 26 cm frontal Above 100 cm
Electric doorbell/telephone on the side of the toilet	NO
Washbasin with space underneath for wheelchair approach	Above 70 cm
Height from the ground lower edge mirror	98 cm







Accessible shower available for guests with reduced mobility	YES flush with the floor
Type of shower	open type
Bathtub type	55 cm high and 160 cm long, with lateral clearance greater than 80 cm and lever taps.
Chair	23 cm high bench with 30x22 cm seat
Support handle	YES
Presence of shower head or sliding rails	Sliding rails with lowest point height 144 cm
Electric doorbell/telephone on the side of the shower	YES









Bar/restaurant

Type of venue	Breakfast room
Access to the premises	<input checked="" type="checkbox"/> flat with a stretch of 4 meters with a slope of 3.8% <input type="checkbox"/> via cm high sidewalks Choose an item. <input type="checkbox"/> via ramp Choose an item. <input type="checkbox"/> by elevator Choose an item. <input type="checkbox"/> via stairlift
Useful width of door/entrance gate	Above 90 cm
Height of the buffet counter	77 cm
Types of tables	4-shank and with central support
Space under floor tables	4-legged 73 cm and central support 73 cm
Availability of high chairs for babies	NO
There are toilets that can be used by a guest with reduced mobility (see "accessible toilets in the internal paths and common services)	YES
	



	
The restaurant has an American bar	Height 116 cm
Types of tables	with central support
Space under floor tables	73 cm
	





Communal toilets

Location of the venue	near the breakfast room
How to access the premises	flat
Usable width of the entrance door	Above 90 cm
Type of door	with inwardly opening door
Toilet height	40 cm
Toilet seat with open front tooth	NO
Support handles	on both sides
Flexible shower on the side of the toilet	NO
Free space on the sides of the toilet	left 22 cm right Above 100 cm frontal 90 cm
Electric doorbell/telephone on the side of the toilet	NO
Washbasin with space underneath for wheelchair approach	67 cm
Height from the ground lower edge mirror	not sufficient for use by a person in a wheelchair
Baby changing table	NO





Medical practices/healthcare facilities

Hospitals near the property	<p>Careggi Hospital, Largo Brambilla 3 Florence, Tel +39 055 794111</p> <p>Ospedale S. Maria Nuova, Piazza S. Maria Nuova 1, Florence, Tel +39 055 69381</p> <p>Piero Palagi Hospital, Via Michelangelo 41, Florence, Tel +39 055 6937249</p> <p>San Giovanni di Dio Hospital, Via Torregalli 1, Florence, Tel +39 055 693211</p> <p>Meyer Children's Hospital, Via Pieraccini 24, Florence, Tel +39 055 56621</p>
Any dialysis facilities	<p>San Giovanni di Dio Hospital, Via Torregalli 1, Florence Dr. Alberto Rosati Tel +39 055 6932238 - alberto.rosati@uslcentro.toscana.it</p> <p>S. Maria Nuova Hospital, Piazza S. Maria Nuova 1, Florence SOS Nephrology and Dialysis Dr. Raffaella Siervo Tel +39 055 6938610 nefrologiasmn@uslcentro.toscana.it</p>
Other healthcare facilities	<p>Usl Toscana Centro, Via Chiusi, Florence, Tel +39 055 6935406</p> <p>Usl Toscan Centro Via D'Annunzio 29, Florence, Tel +39 055 6934901</p> <p>Usl Toscan Centro, territorial garrison, Via Fanfani 17, Florence, Tel +39 055 6939350</p>

Project carried out with the contribution of the



Project promoted by



Regione Toscana

Project carried out with the contribution of the



**Presidenza del
Consiglio dei Ministri**
Ministro per la disabilità