



Accommodation Sheet

General information

Accommodation name	WEST FLORENCE HOTEL
Typology	Hotel
Address	Via Guido Guinizelli, 15
City	Campi Bisenzio (Fi)
Contacts	Tel. +39 055 8953488- Fax 055 8954002 Mail: info@westflorencehotel.it
Website	Website: www.westflorencehotel.it
WCAG 2.1 compliant accessible website	NO
Online bookings	YES
Short description	Strategically located, just 20 minutes from the center of Florence and the airport. Public transport allows you to reach the center of Florence directly in half an hour. The modern West Florence hotel offers a wide range of amenities. Going up the large glass staircase from the Hall you will go up to the American Bar where, for your entertainment, you will find a baby grand piano and the games room with billiards and chess / checkers table. At the Il Campigiano Restaurant, partner of West Florence, you can have a quick lunch in the cafeteria area and dine in peace in one of the rooms set up with different atmospheres: Trattoria tipica and Ristorante di classe. A wine bar, smoking room and meeting spaces complete the "indoor" offer of the Campigiano, but you can also enjoy a relaxing swim in its swimming pool or sip a drink in its private garden.

TESTED AND REVIEWED BY: [Handy Superabile Social Promotion Association](#) in 2024





Please note The following information refers to the date of verification shown at the bottom of each sheet. The Association is not responsible for any significant changes made by the property after the visit.

Summary

Accommodation sheet	1
General information	1
Arrival at the property.....	3
How to reach the property.....	3
Pathway from the private/public car park to the entrance	4
Entrance to the structure.....	4
Hall - Reception	6
Rooms/apartments	7
Rooms/apartments adapted for guests with reduced mobility	7
Toilet facilities in the guest room for guests with reduced mobility	9
Bar/restaurant	11
Internal pathways and common services	13
Internal pathways.....	13
Communal toilets	13
Swimming pool	15
Medical practices/healthcare facilities.....	16

Project carried out with the contribution of the





Arrival at the property

How to reach the property

By car	<p>Take the A11 Firenze – Pisa motorway to the Prato Est exit. Continue along the SP5 provincial road and reach Campi Bisenzio. Take the A1 Firenze – Roma motorway to the Calenzano exit. Follow the signs for Signa. The hotel is located after about 4 km on the right.</p> <p>Campi Bisenzio is 3 kilometers from the <u>state road 67 - Tosco-Romagnola</u> which connects Cascina with Pontassieve and 6 kilometers from the <u>A11 motorway</u>, which connects Florence with Pisa (Prato-Est junction).</p>
By plane	<p>The nearest airports to the Hotel West Florence are Florence A. Vespucci Airport (9 km away),</p> <p>The terminal is equipped with lifts equipped with external and internal buttons in Braille and "call assistance" columns</p>
Assistance service for people with disabilities	YES
Embarkation/disembarkation of passengers with reduced mobility	with courtesy chair and ambulift /Finger
Tactile paths for the blind and visually impaired	YES
There is a toilet room accessible with grab handles	YES
By train	<p>The Firenze - Santa Maria Novella railway station, equipped with a blue lounge and assistance for passengers with disabilities,</p>





	is about 15 km away. To reach West Florence take bus 30.
Nearest station	Calenzano station is 5 km from Campi Bisenzio but is not equipped for people with reduced mobility. It is advisable to get off at the Prato station 7 km away and continue by public transport.
Assistance service for people with disabilities	NO but it is planned in the Prato Centrale station.

Pathway from the private/public car park to the entrance

Presence of private parking	YES
Presence of parking space reserved for people with disabilities	YES
Type of flooring of the private parking lot	asphalt
Public parking nearby	YES about 50 meters away from the main entrance with parking spaces reserved for the disabled
Type of flooring in the public car park	asphalt
Presence of parking space reserved for people with disabilities in the public parking lot	YES
Describe the route from the car park to the entrance and any critical issues	Flat and free of obstacles
Distance from parking to entrance	On the sides of the building there are public parking lots about 50 meters away from the main entrance.

Entrance to the structure

There is an accessible entrance	YES main entrance
How to access the structure	<input checked="" type="checkbox"/> flat





Type of entrance door	Automatic
Useful width of door/entrance gate	150 cm
There are indicators and tactile maps	NO
	
	





Hall - Reception

How to reach it from the entrance	flat
Reception desk height	110 cm from the ground.
Presence of multilingual staff	YES
Type of information material	<input type="checkbox"/> YES with maps/tactile signals <input checked="" type="checkbox"/> YES with brochure
Initial assistance is provided for visitors with disabilities	<input checked="" type="checkbox"/> YES with orientation tour of the structure <input type="checkbox"/> YES with room accompaniment <input checked="" type="checkbox"/> YES with porter service
The following aids are provided for visitors with disabilities	<input type="checkbox"/> manual wheelchair <input type="checkbox"/> Crutches <input type="checkbox"/> Comfortable shower chair
The staff followed a training course on welcoming people with different disabilities	NO
Eventual notes	Guide dogs for the blind are allowed, with access to all common areas





Rooms/apartments

Rooms/apartments adapted for guests with reduced mobility

Number and type of rooms/apartments equipped/usable by people with reduced mobility	<input type="checkbox"/> double rooms Num . 4, of which 2 on floor 2 and another 2 on floor 3
Room access	<input checked="" type="checkbox"/> by elevator Door width 85 cm , cabin width 110 cm, cabin depth 140 cm, t Asti in relief/braille
Type of entrance door	with lever handle
Usable width of entrance door	85 cm
Bed type and height	high double bed 180 x 190 cm
Free spaces on the sides of the bed	left 85 cm right Above 100 cm frontal Above 100 cm
Cabinet Type	with doors
Free space under the desk	70 cm
In-room options are available	<input checked="" type="checkbox"/> safe <input checked="" type="checkbox"/> minibar

Project carried out with the contribution of the





	<input checked="" type="checkbox"/> hairdryer <input checked="" type="checkbox"/> WiFi
There is a terrace/balcony/garden (useful door width)	Balcony
How to access	flat
	
	





Toilet facilities in the guest room for guests with reduced mobility

Access to the premises	flat
Usable width of the entrance door	85 cm
Type of door	with door that can be opened outwards
Type of handle	lever
Toilet height	100 cm
Toilet seat with open front tooth	YES
Support handles	on both sides
Flexible shower on the side of the toilet	YES
Free space on the sides of the toilet	left Above 100 cm right 25 cm frontal Above 100 cm
Electric doorbell/telephone on the side of the toilet	YES
Washbasin with space underneath for wheelchair approach	Above 70 cm
Height from the ground lower edge mirror	Tilted usable mirror
Eventual notes	West Florence pays special attention to the needs of people with special needs and for family members or carers. In fact, there are two toilets in the equipped rooms, one for people with disabilities and one for the able-bodied.



Project promoted by



Regione Toscana



Project carried out with the contribution of the



**Presidenza del
Consiglio dei Ministri**
Ministro per la disabilità




Accessible shower available for guests with reduced mobility	YES flush with the floor
Type of shower	open type
Shower chair	collapsible
Support handle	YES
Presence of shower head or sliding rails	Sliding rails with lever tap
Electric doorbell/telephone on the side of the shower	SI rope

Bar/restaurant

Room type	Breakfast room
Access to the premises	<input checked="" type="checkbox"/> flat
Useful width of door/entrance gate	Above 90 cm
Height of the buffet counter	100 cm high
Types of tables	4-shank and with central support
Space under floor tables	with 4 legs with a height of 67 cm that allow suitable approach for wheelchairs
Availability of high chairs for babies	YES
Multilingual menu	Not detected
Menu with app	Not detected
Braille menu	NO
Table service for people with disabilities	YES
Availability of foods for celiacs	<input checked="" type="checkbox"/> bread, pasta, biscuits, ice cream <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> pre-packaged foods At the time of booking, it is possible to request specific foods.
There are coffee and milk dispensers	NO but there are drink dispensers on the floors of the rooms.
A customer with reduced mobility can always reserve the same table	YES





<p>There are toilets that can be used by a guest with reduced mobility (see "accessible toilets in the internal paths and common services)</p>	<p>YES</p>
<p>Eventual notes</p>	<p>Nearby there is also the obstacle-free bar with a counter height of more than 100 cm, set up with armchairs and sofas</p>
	
<p>above photo bar, on the side photo breakfast room</p>	





Internal pathways and common services

Internal pathways

Indicate whether the paths connecting with the common areas are flat or with ramps or steps, in addition to those already described	Entrance (Hall), main restaurant, underground parking, equipped rooms: With lift door width 85 cm, cabin width and depth 140 X 110 cm, highest keyboard key 130 cm, braille/relief keys Main pool flat
From the visited room to the common areas there are maps and tactile signs for the blind	NO

Communal toilets

Location of the venue	near the main restaurant
How to access the premises	flat
Usable width of the entrance door	85 cm
Type of door	with inwardly opening door


Project carried out with the contribution of the





Type of handle	lever
Toilet height	50 cm
Toilet seat with open front tooth	YES
Support handles	on both sides
Flexible shower on the side of the toilet	YES with thermostat
Free space on the sides of the toilet	left Above 100 cm right 25 cm frontal Above 100 cm
Electric doorbell/telephone on the side of the toilet	YES to Corda.
Washbasin with space underneath for wheelchair approach	Above 70 cm
Height from the ground lower edge mirror	sufficient for use by a person in a wheelchair
Baby changing table	Not detected
	





Swimming pool

The property has a swimming pool	for adults and for children with fresh water
Pool with heated water	NO
Access to the swimming pool	flat
Useful width of the entrance gate	Above 90 cm
Access to the pool	with ladder
Bathing aids for guests with reduced mobility	not present
Tank depth	variable from 70 cm to 150 cm
Height of the pool edge-water level	infinity
In the pool area there is a shower	YES flush with the floor





Medical practices/healthcare facilities

Hospitals near the property	<p>Careggi Hospital, Largo Brambilla 3 Florence, Tel +39 055 794111</p> <p>Ospedale S. Maria Nuova, Piazza S. Maria Nuova 1, Florence, Tel +39 055 69381</p> <p>Piero Palagi Hospital, Via Michelangelo 41, Florence, Tel +39 055 6937249</p> <p>San Giovanni di Dio Hospital, Via Torregalli 1, Florence, Tel +39 055 693211</p> <p>Meyer Children's Hospital, Via Pieraccini 24, Florence, Tel +39 055 56621</p>
Any dialysis facilities	<p>San Giovanni di Dio Hospital, Via Torregalli 1, Florence</p> <p>Dr. Alberto Rosati Tel +39 055 6932238 - alberto.rosati@uslcentro.toscana.it</p> <p>S. Maria Nuova Hospital, Piazza S. Maria Nuova 1, Florence</p>

Project carried out with the contribution of the





	SOS Nephrology and DialysisDr. Raffaella Siervo Tel +39 055 6938610 nefrologiasmn@uslcentro.toscana.it
Other healthcare facilities	Usl Toscana Centro, Via Chiusi, Florence, Tel +39 055 6935406 Usl Toscana Centro Via D'Annunzio 29, Florence, Tel +39 055 6934901 Usl Toscana Centro, territorial garrison, Via Fanfani 17, Florence, Tel +39 055 6939350

